

## Boom Lift License Regina

Boom Lift License Regina - Only fully certified individuals should operate an aerial boom lift. Qualification could be obtained through a combination of sessions in the classroom and practical training with the specific kind of aerial lift which will be utilized on the job. A License is required for anybody who works on or operates an aerial boom lift.

Vehicle-mounted aerial devices include the following work vehicles: aerial ladders, extensible boom platforms, articulating boom platforms, vertical towers, and whichever combination of these types.

There are some basic safety rules that apply to all boom lifts. Worker safety while within the basket is a main concern. Workers must wear a body harness and lanyard connected to the boom or basket. Never tie off to a structure, equipment or an adjacent pole. Staff should stand on the floor of the basket, and never sit or climb on the edge of the basket. The manufacturer's load limitations should be followed.

Lift operators should be authorized to operate an aerial lift. The manufacturer's guidebook must be kept within the lift and the operator should be familiar with all aspects of that specific unit. Operators are responsible for ensuring that safety measures are followed in operating the lift. A daily test of lift controls must be carried out. Position outriggers and set brakes (if they are used) on a stable surface or on pads. If working on a slope, utilize wheel chocks.

Never move an aerial lift truck with an elevated boom whilst employees are within the basket. Extensible boom platforms and articulating boom utilized as employees carriers must have accessible, plainly marked, upper controls. Except for in emergency conditions, lower controls should not be utilized to override upper controls unless the person within the lift gives permission.

Do not wear pole or tree climbers shall while working from an aerial lift.

Do not alter the insulated portion of the aerial lift.

Ensure that the booms are carefully inspected, that the machinery is properly cradled and the outriggers are in the stowed position prior to moving.

When operating a boom lift next to power lines, make certain that the lines are di-electrically tested according to local regulations.